EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20040264227"	US-PGPUB; USPAT	OR	OFF	2006/04/10 10:09
S9	364	(Kojima ADJ Hirotsugu Kitamura ADJ Teruo).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:10
S8	47	(Kojima ADJ Hirotsugu Kitamura ADJ Teruo).in.	USPAT	OR	OFF	2006/04/10 10:11
S13	1	RENESAS adj TECHNOLOGY.as. and (Kojima ADJ Hirotsugu Kitamura ADJ Teruo).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/04/10 10:13
S14	10716	RENESAS adj TECHNOLOGY.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/04/10 10:14
S15	29	S14 and frequency with adjust$4 with oscillator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/04/10 10:17
S18	1	S9 and (frequency with adjust$4 with oscillator).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:18
S17	4	S14 and (frequency with adjust$4 with oscillator).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:18
S21	11	S14 and frequency with adjust$4 with oscillator and voltage adj control	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:19
S23	9	S14 and frequency with adjust$4 and voltage adj control adj oscillator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:20
S22	2	S14 and frequency with adjust$4 with voltage adj control adj oscillator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:20
S16	14	S14 and frequency with adjust$4 near3 oscillator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/04/10 10:21

S26	1	S14 and frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL) and JTAG	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:22
S25	10	S14 and frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:22
S27	1	S14 and frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL) and "TAP"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:24
S29	29	frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL) and JTAG adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:25
S28	1	S14 and frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL) and JTAG adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:25
S31	26	frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL) and JTAG adj interface and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:27
S34	6	frequency with adjust$4 near3 oscillator and phase adj lock$3 adj loop and JTAG and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:52
S37	1962	frequency with adjust$4 near3 oscillator and phase adj lock$3 adj loop and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:58
S36	3699	frequency with adjust$4 with oscillator and phase adj lock$3 adj loop and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 10:58
S38	350	frequency with adjust$4 near3 oscillator with phase adj lock$3 adj loop and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 11:02
S39	47	frequency with adjust$4 near3 oscillator with phase adj lock$3 adj loop and baseband and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 11:05
S40	15	frequency with adjust$4 near3 oscillator with phase adj lock$3 adj loop and baseband and IEEE and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 11:06

EAST Search History

S41	59	frequency with adjust$4 near3 oscillator with phase adj lock$3 adj loop and IEEE and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 11:07
S42	27	frequency with adjust$4 near3 oscillator with phase adj lock$3 adj loop and integrated adj circuit and IEEE and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 11:09
S35	17	frequency with adjust$4 with oscillator and phase adj lock$3 adj loop and JTAG and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 12:37
S44	39	frequency with adjust$4 with oscillator and "ID" and JTAG and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 12:40
S43	6	frequency with adjust$4 with oscillator and phase adj lock$3 adj loop and "ID" and JTAG and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 12:40
S46	25	frequency with adjust$4 with oscillator and "ID" near (chip IC) and JTAG and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 12:41
S45	26	frequency with adjust$4 with oscillator and "ID" with (chip IC) and JTAG and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 12:41
S47	25	frequency with adjust$4 with oscillator and identif$5 near (chip IC) and JTAG and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 12:43
S50	2	frequency with adjust$4 with oscillator and "ID" adj register and JTAG and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 12:44
S48	7977	frequency with adjust$4 with oscillator and identif$5 nea part and JTAG and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 12:44
S56	4	identif$5 near register with JTAG and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 12:54
S55	2	identif$5 near register near3 JTAG and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 12:54

EAST Search History

S57	12	identif$5 near3 register with JTAG and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 12:59
S53	5	identif$5 near3 (chip IC) with JTAG and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 12:59
S24	10	S14 and frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 14:45
S58	906	frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL) and (transmi$5 with recei$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 14:46
S60	108	frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL) and (transmi$5 with recei$3) with "RF" and (integrated adj circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 14:47
S59	178	frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL) and (transmi$5 with recei$3) with "RF"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 14:47
S62	87	frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL) and (transmi$5 near3 recei$3) with "RF" and (integrated adj circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 14:48
S61	240	frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL) and (transmi$5 ner3 recei$3) with "RF" and (integrated adj circuit)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 14:48
S65	47	frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL) and (transmi$5 near3 recei$3) with "RF" and (integrated adj circuit) and @ad<"20040415"	USPAT	OR	ON	2006/04/10 14:53
S68	14	frequency with adjust$4 near3 oscillator SAME (phase adj locked adj loop PLL) and (transmi$5 near3 recei$3) with "RF" and (integrated adj circuit) and @ad<"20040415"	USPAT	OR	ON	2006/04/10 14:54
S67	7	frequency with adjust$4 near3 oscillator WITH (phase adj locked adj loop PLL) and (transmi$5 near3 recei$3) with "RF" and (integrated adj circuit) and @ad<"20040415"	USPAT	OR	ON	2006/04/10 14:54

EAST Search History

S69	30	identif$5 near3 JTAG and @ad<"20040415"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/04/10 18:20
S63	48	frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL) and (transmi$5 near3 recei$3) with "RF" and (integrated adj circuit)	USPAT	OR	ON	2006/09/27 10:59
S72	82	frequency with adjust$4 near3 oscillator with memory	USPAT	OR	ON	2006/09/27 11:00
S71	27	frequency with adjust$4 near3 oscillator and (phase adj locked adj loop PLL) and JTAG adj interface and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:00
S73	27	frequency near3 (trimm$5 adjust$4) near3 oscillator and (phase adj locked adj loop PLL) and JTAG adj interface and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:01
S76	79799	frequency near3 (trimm$5 adjust$4) near3 oscillator ner3 (phase adj locked adj loop PLL) and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:02
S75	349	frequency near3 (trimm$5 adjust$4) near3 oscillator with (phase adj locked adj loop PLL) and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:02
S74	1783	frequency near3 (trimm$5 adjust$4) near3 oscillator and (phase adj locked adj loop PLL) and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:02
S77	142	frequency near3 (trimm$5 adjust$4) near3 oscillator near3 (phase adj locked adj loop PLL) and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:04
S78	19	frequency adj adjust$4 near3 oscillator near3 (phase adj locked adj loop PLL) and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:05
S79	178	frequency adj (adjust$4 control$3) near3 oscillator near3 (phase adj locked adj loop PLL) and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:06
S80	3	714/700.ccls. and frequency adj (adjust$4 control$3) near3 oscillator and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:07

C:\Documents and Settings\jkerveros\My Documents\EAST\Workspaces\10823581.wsp

S81	12	714/700.ccls. and frequency adj (adjust$4 control$3) and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:10
S83	2748	"327"/$.ccls. and frequency adj (adjust$4 control$3) and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:11
S85	6	("5631587" | "6049255" | "6570421" | "6570423" | "6593784" | "6597218").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/09/27 11:12
S84	6	"327"/$.ccls. and frequency adj (adjust$4 control$3) with trimming and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:18
S89	912	"327"/$.ccls. and frequency with oscillator with (adjust$4 control$3) with charg$3 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:19
S91	588	"327"/$.ccls. and frequency near232 oscillator near3 (adjust$4 control$3) near3 charg$3 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:20
S90	860	"327"/$.ccls. and frequency near232 oscillator near3 (adjust$4 control$3) with charg$3 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:20
S92	32	"327"/$.ccls. and frequency near2 oscillator near3 (adjust$4 control$3) near3 charg$3 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:21
S93	15	"327"/$.ccls. and frequency near2 oscillator near3 (adjust$4 control$3) near3 charg$3 adj pump and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:22
S94	35	frequency near2 oscillator near3 (adjust$4 control$3) near3 charg$3 adj pump and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:23
S95	120	frequency near2 oscillator near3 (adjust$4 control$3) near3 charg$3 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:27
S97	17	327/156-158.ccls. and frequency near2 oscillator near3 (adjust$4 control$3) near3 charg$3 and @ad<"20040414"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/27 11:28